Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (currently amended) For use in a wireless communication system including a Service Location Register, a-at least one Switching Center, and a subscriber, the subscriber having at least one profile associated with the subscriber, a method of automatically updating a the Switching Center with a change in the subscriber's profile, the method comprising:

receiving an update at a database regarding a change in the subscriber's profile; generating a request to the Service Location Register to send a profile update for the subscriber to the a Switching Center; and

in response to the request and without any prompting by the <u>any Switching</u>. Center, sending the profile update to the Switching Center.

- 2. (original) A method as in Claim 1, wherein the Service Location Register is a Home Location Register (HLR).
- 3. (original) A method as in Claim 1, wherein the Service Location Register is a Wireless Service Location Register (WSLR).
- 4. (original) A method as in Claim 1, wherein the Switching Center is a Mobile Switching Center (MSC).
- 5. (currently amended) For use in a wireless communication system including a Home Location Register (HLR), a-at least one Mobile Switching Center (MSC), and a plurality of subscribers, each of the plurality of subscribers having at least one subscriber profile associated with the subscriber, a method of automatically updating the MSC with a change in the subscriber profile, the method comprising:

receiving an update at a database regarding a change in the subscriber profile;

initiating a stored procedure in the database to generate a request to the HLR to send a qualification directive to <u>an the MSC</u>, the qualification directive including an update to the subscriber profile; and

in response to the request and without any prompting from <u>any the MSC</u>, sending the Qualification Directive qualification directive to the MSC.

6. (currently amended) For use in a wireless communication system having at least one subscriber, the subscriber having at least one subscriber profile associated with the subscriber, a system for automatically updating a Switching Center with a change in the subscriber's profile, the system comprising:

a database configured to receive an update regarding a change in the subscriber's profile and generate a request to the Service Location Register to send a profile update to <u>a the</u> Switching Center;

a Service Location Register in communication with the database, the Service Location Register being configured to:

receive the request to send the profile update to the Switching Center; and in response to the request and without receiving any prompting from the any Switching Center, send the requested profile update to the Switching Center.

- 7. (original) A system as in claim 6, wherein the Service Location Register is a Wireless Service Location Register.
- 8. (original) A system as in claim 6, wherein the Switching Center is a Mobile Switching Center (MSC).
- 9. (original) A system as in claim 6, wherein the database is a Sybase database.
- 10. (previously presented) A system as in claim 6, wherein the request generated by the database is a qualification directive.

- 11. (previously presented) The method of claim 1, wherein generating a request to the Service Location Register to send a profile update to the Switching Center for the subscriber comprises initiating a stored procedure in the database.
- 12. (previously presented) A method as in claim 1, wherein receiving an update includes receiving a request initiated by a web browser.
- 13. (previously presented) A method as in claim 5, wherein receiving an update includes receiving a request initiated by a web browser.
- 14. (previously presented) A system as in claim 6, wherein the database is configured to receive communications via a web browser, and wherein receiving an update comprises receiving an update request initiated by a web browser.
- 15. (previously presented) A method as in claim 1, wherein the profile includes at least one feature set to which a subscriber has subscribed.
- 16. (new) A method as in claim 5, wherein the profile includes at least one feature set to which a subscriber has subscribed.
- 17. (previously presented) A system as in claim 6, wherein the profile includes at least one feature set to which a subscriber has subscribed.
- 18. (previously presented) A method as in claim 1, wherein sending the profile update to the Switching Center comprises sending a qualification directive to the Switching Center, the qualification directive including an update to the subscriber's profile.
- 19. (previously presented) A system as in claim 6, wherein Service Location Register is further configured to send a qualification directive to the Switching Center, the qualification directive including the requested profile update.
- 20. (previously presented) A method as in claim 1, wherein the request is generated in response to the update received at the database.

- 21. (previously presented) A method as in claim 5, wherein the stored procedure is initiated in response to the update received at the database.
- 22. (previously presented) A system as in claim 6, wherein the database is further configured to generate the request in response to receiving the update.
- 23. (currently amended) In a telecommunications system comprising <u>at least</u> one a-Switching Center and a plurality of subscribers, each of the plurality of subscribers having at least one associated subscriber profile, a system for automatically updating the <u>a</u> Switching Center with a change to a subscriber's profile, the system comprising:

means for receiving an update regarding a change in the subscriber's profile;
means for generating a request to register to send a profile update for the subscriber to a the Switching Center;

means for sending the profile update for the subscriber to the Switching Center, in response to the request and without any-prompting by any-the Switching Center.

- 24. (previously presented) A system as in claim 23, further comprising: means for initiating a stored procedure to generate the request.
- 25. (previously presented) A system as in claim 23, further comprising: means for receiving a communication from a web browser, the communication comprising the update regarding a change in the subscriber's profile.
- 26. (new) For use in a wireless communication system including a Service Location Register, at least one Switching Center, and a subscriber, the subscriber having at least one profile associated with the subscriber, a method of automatically updating the Switching Center with a change in the subscriber's profile, the method comprising:

using a database client connection from a service center to update a database regarding a change in the subscriber's profile;

at the database, automatically generating a request to the Service Location Register to send a profile update for the subscriber to a Switching Center; and

in response to the request and without prompting by any Switching Center, sending the profile update to the Switching Center.



- 27. (new) A method as recited in claim 26, wherein the database client connection comprises a request initiated from an HTTP (web) client.
- 28. (new) For use in a wireless communication system having at least one subscriber, the subscriber having at least one subscriber profile associated with the subscriber, a system for automatically updating a Switching Center with a change in the subscriber's profile, the system comprising:

a database configured to receive an update via a database client connection from a service center regarding a change in the subscriber's profile and generate a request to the Service Location Register to send a profile update to a Switching Center;

a Service Location Register in communication with the database, the Service Location Register being configured to:

receive the request to send the profile update to the Switching Center; and in response to the request and without receiving prompting from any Switching Center, send the requested profile update to the Switching Center.

29. (new) A system as recited in claim 28, wherein the database client connection comprises a request initiated from an HTTP (web) client.